

Mock Examination - semester 2, 2022/23

MTH5126: Statistics for Insurance

Duration: 2 hours

Apart from this page, you are not permitted to read the contents of this question paper until instructed to do so by an invigilator.

The exam is intended to be completed within 2 hours. However, you will have a period of 4 hours to complete the exam and submit your solutions.

Marks available are shown next to the questions. Please remember that depending on when you take this assessment, you might not have covered the material.

You are allowed to bring three A4 sheets of paper as notes for the exam.

Only approved non-programmable calculators are permitted in this examination. Please state on your answer book the name and type of machine used. **Statistical functions** provided by the calculator may be used provided that you state clearly where you have used them.

Complete all rough work in the answer book and cross through any work that is not to be assessed.

Possession of unauthorised material at any time when under examination conditions is an assessment offence and can lead to expulsion from QMUL. Check now to ensure you do not have any unauthorised notes, mobile phones, smartwatches or unauthorised electronic devices on your person. If you do, raise your hand and give them to an invigilator immediately.

It is also an offence to have any writing of any kind on your person, including on your body. If you are found to have hidden unauthorised material elsewhere, including toilets and cloakrooms, it will be treated as being found in your possession. Unauthorised material found on your mobile phone or other electronic device will be considered the same as being in possession of paper notes. A mobile phone that causes a disruption in the exam is also an assessment offence.

Exam papers must not be removed from the examination room.

Examiners: L. Fang

[4]

[4]

Question 1 [31 marks]. A home insurance company's total monthly claim amounts have a mean of 250 and a standard deviation of 300. The company has estimated that it will face insolvency if the total monthly claim amounts exceed 1,000 in any given month.

- (a) Determine the probability that the company faces insolvency in any given month if the company assumes that total monthly claim amounts follow the Normal distribution.
- (b) Determine the revised value of the probability in part (a) if the company assumes that total monthly claim amounts follow the two-parameter Pareto distribution. [6]
- (c) An Analyst has determined that the two-parameter Pareto distribution is the best fit for the distribution of the total monthly claim amounts for this company. Outline, using the results from parts (a) and (b), the potential consequences of the company assuming that the total monthly claim amounts follow the Normal distribution rather than the two-parameter Pareto distribution. Explain why the Normal distribution is unlikely to be a good fit for the distribution of the total monthly claim amounts for this company.

Suppose that the aggregate claims from a risk have a compound Poisson distribution with parameter μ , and individual claim amounts have a two-parameter Pareto distribution with a mean of 250 and a standard deviation of 300. The insurer of this risk is considering effecting proportional reinsurance with a retention level of 0.75, and calculates the premium using a premium loading factor of 0.1 (this means they charge 10% in excess of the risk premium). The reinsurance premium would be calculated using a premium loading factor of 0.2.

(The insurer's profit is defined to be the premium charged by the insurer less the reinsurance premium and less the claims paid by the insurer, net of reinsurance.)

- (d) Calculate the insurer's expected profit before effecting the reinsurance. [4]
- (e) Calculate the insurer's expected profit after effecting the reinsurance and hence find the percentage reduction in the insurer's expected profit. [13]

Question 2 [29 marks]. Claims on a portfolio of insurance policies arrive as a Poisson process with parameter 200. Individual claim amounts follow a normal distribution with the mean 20 and variance 16. The insurer calculates premiums using a premium loading of 15% and has initial surplus of 200.

- (a) Define the ruin probabilities $\Psi(200), \Psi(200, 1)$ and $\Psi_1(200, 1)$. [5]
- (b) Define the adjustment coefficient R. [2]
- (c) Show that for this portfolio the value of R is 0.013 correct to 3 decimal places. [7]
- (d) Calculate an upper bound for $\Psi(200)$ and an estimate of $\Psi_1(200,1)$. [8]
- (e) Comment on the results in part (d). [2]
- (f) If the parameter of Poisson process changes to 100 for the above portfolio, explain how this will affect the probability of ruin in finite and in infinite time. [5]

Question 3 [20 marks].

- (a) Demonstrate that the coefficient of lower tail dependence is $2^{-\frac{1}{\alpha}}$ where α is the Clayton copula parameter and $\alpha > 0$.
- (b) Comment on how the value of the parameter α affects the degree of upper tail dependence in the case of the Clayton copula. [3]
- (c) Derive an expression for the Clayton copula for the case where the parameter $\alpha > 0$ and there are 3 variables. The Clayton copula has a generator function:

$$\Psi(t) = \frac{1}{\alpha}(t^{-\alpha} - 1).$$

[10]

Question 4 [20 marks]. An actuary assumes that the underlying gross claims follow an exponential distribution of some unknown rate λ . The payments of n claims are to be split between an insurance company and its reinsurer under an Excess of Loss reinsurance arrangement with a retention level M. The actuary needs to find the maximum likelihood estimate of λ using only the claims amount paid by the insurer. If the amount of only r claims are above the retention level, find the maximum likelihood estimate of λ . Assume that all claims are independent. [20]

End of Paper.