

Main Examination period 2017

MTH6104 / MTH6104P: Algebraic structures II

Duration: 2 hours

Apart from this page, you are not permitted to read the contents of this question paper until instructed to do so by an invigilator.

You may attempt as many questions as you wish and all questions carry equal marks. Except for the award of a bare pass, only the best FOUR questions answered will be counted.

Calculators are not permitted in this examination. The unauthorised use of a calculator constitutes an examination offence.

Complete all rough work in the answer book and cross through any work that is not to be assessed.

Possession of unauthorised material at any time when under examination conditions is an assessment offence and can lead to expulsion from QMUL. Check now to ensure you do not have any notes, mobile phones, smartwatches or unauthorised electronic devices on your person. If you do, raise your hand and give them to an invigilator immediately.

It is also an offence to have any writing of any kind on your person, including on your body. If you are found to have hidden unauthorised material elsewhere, including toilets and cloakrooms, it shall be treated as being found in your possession. Unauthorised material found on your mobile phone or other electronic device will be considered the same as being in possession of paper notes. A mobile phone that causes a disruption in the exam is also an assessment offence.

Exam papers must not be removed from the examination room.

Examiners: Matthew Fayers and Leonard Soicher

In this paper, we use the following notation.

- C_n denotes the cyclic group of order n .
- U_n is the set of integers between 0 and n which are prime to n , with the group operation being multiplication modulo n .
- D_{2n} is the group with $2n$ elements

$$1, r, r^2, \dots, r^{n-1}, s, rs, r^2s, \dots, r^{n-1}s.$$

The group operation is determined by the relations $r^n = s^2 = 1$ and $sr = r^{n-1}s$.

- S_n denotes the group of all permutations of $\{1, \dots, n\}$ (with the group operation being composition).
- If p is a prime, then \mathbb{F}_p is the set $\{0, 1, \dots, p-1\}$, with addition and multiplication modulo p . $SL_2(\mathbb{F}_p)$ is the group of 2×2 matrices with entries in \mathbb{F}_p and with determinant 1, with the group operation being matrix multiplication.

Question 1. [25 marks]

- (a) Give the definition of a **group**. [3]
- (b) Prove that the identity element in a group is unique. [4]
- (c) Suppose F is a set consisting of five elements a, b, c, d, e , and a binary operation is defined on F by the following table.

	a	b	c	d	e
a	a	b	c	d	e
b	b	e	d	a	c
c	c	a	e	b	d
d	d	c	b	e	a
e	e	d	a	c	b

Is F a group under this operation? Justify your answer. [5]

Suppose G is a group and $g \in G$.

- (d) How are the **powers** g^n defined, for $n \in \mathbb{Z}$? Give the definition of the **order** $\text{ord}(g)$ of g . [5]
- (e) Suppose $\text{ord}(g)$ is even. What is $\text{ord}(g^2)$? Justify your answer. [4]
- (f) Suppose $\text{ord}(g)$ is odd. What is $\text{ord}(g^2)$? Justify your answer. [4]

[You may use standard rules for manipulating powers of elements.]

Question 2. [25 marks] Write an essay on conjugacy, centres and centralisers. [You should include precise definitions and statements of results, illustrated by examples, and give some proofs.]

Question 3. [25 marks]

- (a) Suppose G is a group. Define what it means to say that G is **simple**. [You do not need to define what a normal subgroup is.] [2]

Suppose $g \in \mathcal{S}_n$.

- (b) Explain how to write g in **disjoint cycle notation**. [3]
- (c) Prove that $\text{ord}(g)$ is the least common multiple of the lengths of the cycles of g when g is written in disjoint cycle notation. [4]
- (d) Give the definition of a **transposition** in \mathcal{S}_n . Write the permutation $(1\ 6\ 7)(2\ 5\ 3\ 4)$ as a product of transpositions. [5]
- (e) Give the definition of the **alternating group** \mathcal{A}_n . [2]
- (f) Prove that any element of \mathcal{A}_n can be written as a product of 3-cycles. [5]
- (g) Write down two further results on 3-cycles in \mathcal{A}_n which are used with part (f) to show that \mathcal{A}_n is simple for $n \geq 5$. [4]

Question 4. [25 marks] Suppose G is a group and X is a set.

- (a) Define what is meant by an **action** of G on X . [3]
- (b) Give two examples of actions of \mathcal{D}_8 on itself, one of which is transitive, and the other not transitive. [You should say clearly how the actions are defined and which one is transitive, but you do not need to prove anything.] [4]
- (c) Suppose π is an action of G on X , and $x \in X$. Define what is meant by the **stabiliser** of x , and prove that it is a subgroup of G . [6]
- (d) Give a precise statement of the Orbit–Stabiliser Theorem. [3]

Now let p be a prime, and $G = \text{SL}_2(\mathbb{F}_p)$. Let X be the set of non-zero column vectors of length 2 with entries in \mathbb{F}_p , and let G act on X by $\pi_g(x) = gx$.

- (e) By considering the orbit of the vector $\begin{pmatrix} 1 \\ 0 \end{pmatrix}$, prove that this action is transitive. [5]
- (f) Hence use the Orbit–Stabiliser Theorem to find $|G|$. [4]

Question 5. [25 marks] Suppose G is a group and H is a subgroup of G .

- (a) Suppose $g \in G$. Define what is meant by the **right coset** Hg , and the **index** of H in G . [4]
- (b) Give a precise statement of Lagrange's Theorem. [3]
- (c) Now let $K = \{1, 9, 25\}$. Find all the right cosets of K in \mathcal{U}_{28} . [You may assume that K is a subgroup of \mathcal{U}_{28} .] [4]
- (d) Prove that if H has index 2 in G , then H is a normal subgroup of G . [You may assume that every element of G lies in exactly one left coset of G , and similarly for right cosets. You may also assume that if $gH = Hg$ for every $g \in G$, then H is a normal subgroup.] [5]

Now suppose p is a prime number and G is finite.

- (e) Give the definition of a **Sylow p -subgroup** of G . [2]
- (f) Give a precise statement of Sylow's Theorem 1. [3]
- (g) Use part (d) and Sylow's Theorem 1 to show that there is no simple group of order 50. [4]

Question 6. [25 marks] Suppose G and H are groups.

- (a) Give the definitions of the following:
- a **homomorphism** from G to H ;
 - an **isomorphism** from G to H ;
 - an **automorphism** of G . [6]
- (b) Suppose $\phi : G \rightarrow H$ is a homomorphism, let $N = \ker(\phi)$ and suppose $K \leq G$. Prove that $\phi^{-1}(\phi(K)) = NK$. [5]
- (c) Give a precise statement of the Correspondence Theorem. [3]
- (d) Let $G = \mathcal{C}_{40}$. Find all the subgroups of G , and draw a diagram showing which subgroups contain which others. [You do not need to prove anything.] [3]
- (e) Let $\phi : \mathcal{C}_{40} \rightarrow \mathcal{C}_{40}$ be the homomorphism which sends g to g^{10} for every $g \in \mathcal{C}_{40}$. Find $\text{im}(\phi)$ and $\ker(\phi)$, and show how subgroups correspond under the Correspondence Theorem. [You do not need to prove anything.] [5]
- (f) Give an example of an outer automorphism ϕ of \mathcal{D}_8 which satisfies $\phi(r) \neq r$. [You do not have to prove anything, but you should say what $\phi(g)$ is for each $g \in \mathcal{D}_8$.] [3]

End of Paper.